

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L2 | 15 | shield and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 13:41 |
| L3 | 10 | (shield same (ferroelectric\$5 (ferro adj2 electric\$5)) same (transducer tip needle head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 13:42 |
| L4 | 2233 | 365/145.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:24 |
| L5 | 33 | 365/145.ccls. and shield | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:24 |
| L6 | 1096 | 369/126.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:25 |
| L7 | 39 | 369/126.ccls. and shield | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:25 |
| L8 | 17 | 369/126.ccls. and (shield with (transducer head probe tip)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:25 |
| L9 | 1 | 365/145.ccls. and (shield with (transducer head probe tip)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 15:26 |
| L10 | 0 | ((electrode tip transducer head) and ferroelectric and (elelctric near2 shield)).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:04 |
| L12 | 12 | ((ferroelectric (ferro near electric)) near5 (head transducer tip electrode)) and "360".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:11 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L13 | 615 | 360/324.1.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:25 |
| L14 | 2053 | 360/135.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:25 |
| L15 | 1 | 13 and (electric near3 shield) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:25 |
| L16 | 1 | 14 and (electric near3 shield) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:25 |
| L17 | 139 | ((transducer head) with (electric near3 shield)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:27 |
| L18 | 46 | 17 and (((dis\$1 hard) near2 (drive apparatus)) HDA HDD DASD RAID platter (magnetic ferroelectric storage drive\$1 assembly) near2 (disk\$5 disc\$1 media medium device array storage) (storage near2 drive\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:30 |
| L19 | 8 | 360/75.ccls. and (ferroelectric\$5 or ferro adj2 electric\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 16:49 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L2 | 15 | shield and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 13:41 |
| L3 | 10 | (shield same (ferroelectric\$5 (ferro adj2 electric\$5)) same (transducer tip needle head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/22 13:42 |
| S80 | 0 | ((electric near2 shield) with (transducer head element pole tip)) same ferroelectric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:02 |
| S81 | 0 | ((electric near2 shield) with (transducer head element pole tip)) and ferroelectric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:03 |
| S82 | 0 | ((electric near2 shield) same (transducer head element pole tip)) and ferroelectric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:04 |
| S83 | 0 | ((electric near2 shield) with (transducer head element pole tip)) same ferroelectric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:04 |
| S84 | 2 | ((electric near2 shield) with (transducer head element pole tip)) and ferroelectric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:05 |
| S85 | 0 | ((electric near2 shield) same (transducer head element pole tip)) and (ferroelectric near4 (transducer head element pole)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:07 |
| S86 | 2 | (electric near2 shield) and (ferroelectric near4 (transducer head element pole)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:08 |
| S87 | 2 | "US 20050128616" | US-PGPUB; USPAT; USOCR; DERWENT | OR | ON | 2008/02/14 15:10 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S88 | 0 | (electric near2 shield) and (ferroelectric\$5 or ferro adj2 electric\$5) and (((read\$6 or reproduc\$6) near6 (destroy\$6 or destructiv\$5)) same (current\$1 or polar\$7 or dipole\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:43 |
| S89 | 58 | (electric near2 shield) and (ferroelectric\$5 or ferro adj2 electric\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:44 |
| S90 | 0 | S89 and "360".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:45 |
| S91 | 3 | S89 and "365".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:45 |
| S92 | 4 | (electric near2 shield) and ((ferroelectric\$5 (ferro adj2 electric\$5)) with (transducer tip needle head)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:46 |
| S93 | 2 | S89 and "324".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:47 |